Author Index
Volume 18

Abrams, Steven, Allen, Peter K., and Tarabanis, Konstantinos. Computing camera viewpoints in an active robot work cell [18:3] pp. 267-285.

Akella, Srinivas, and Mason, Matthew T. Using partial sensor information to orient parts [18:10] pp. 963-997.

Altafini, Claudio. A path-tracking criterion for an LHD articulated vehicle [18:5] pp. 435-441.

Arimoto, Suguru. Robotics research toward explication of everyday physics [18:11] pp. 1056-1063.

Austin, David J., and McCarragher, Brenan J. Model-adaptive hybrid dynamic control for robotic assembly tasks [18:10] pp. 998-1012.

Bares, John E., and Wettergreen, David S. Dante II: technical description, results, and lessons learned [18:7] pp. 621-649.

Başkent, Deniz, and Barshan, Billur. Surface profile determination from multiple sonar data using morphological processing [18:8] pp. 788-808.

Böhringer, K.-F., Donald, B.R., and MacDonald, N.C. Programmable force fields for distributed manipulation, with applications to MEMS actuator arrays and vibratory parts feeders [18:2] pp. 168-200.

Brady, Michael. Editorial: robotics at the millennium [18:11] pp. 1051-1055.

Burridge, R.R., Rizzi, A.A., and Koditschek, D.E. Sequential composition of dynamically dexterous robot behaviors [18:6] pp. 534-555.

Charlebois, M., Gupta, K., and Payandeh, S. Shape description of curved surfaces from contact sensing using surface normals [18:8] pp. 779-787.

Chen, I.-M., Yeo, S.H., Chen, G., and Yang, G. Kernal for modular robot applications—automatic modeling techniques [18:2] pp. 225-242.

Chong, Kok Seng, and Kleeman, Lindsay. Feature-based mapping in real, large scale environments using an ultrasonic array [18:1] pp. 3-19.

Chong, Kok Seng, and Kleeman, Lindsay. Mobile-robot map building from an advanced sonar array and accurate odometry [18:1] pp. 20-36.

Chu, Y.X., Gou, J.B., and Li, Z.X. On the hybrid localization/envelopment problem [18:5] pp. 491-501.

Daniilidis, Konstantinos. Hand-eye calibration using dual quaternions [18:3] pp. 286-298.

De Schutter, Joris, Bruyninckx, Herman, Dutré, Stefan, De Geeter, Jan, Katupitiya, Jayantha, Demey, Sabine, and Lefebvre, Tine. Estimating first-order geometric parameters and monitoring contact transitions during force-controlled compliant motion [18:12] pp. 1161-1184.

Doulgeri, Zoe, and Arimoto, Suguru. A force commanded impedance control for a robot finger with uncertain kinematics [18:10] pp. 1013-1029.

Everett, H.R., and Gage, Douglas W. From laboratory to warehouse: security robots meet the real world [18:7] pp. 760-768.

Featherstone, Roy. A divide-and-conquer articulated-body algorithm for parallel $O(\log(n))$ calculation of rigid-body dynamics. part 1: basic algorithm [18:9] pp. 867-875.

Featherstone, Roy. A divide-and-conquer articulated-body algorithm for parallel $O(\log(n))$ calculation of rigid-body dynamics. part 2: trees, loops, and accuracy [18:9] pp. 876-892.

Feder, Hans Jacob S., Leonard, John J., Smith, Christopher M. Adaptive mobile robot navigation and mapping [18:7] pp. 650-668.

González-Galván, Emilio J., Skaar, Steven B., and Seelinger, Michael J. Efficient camera-space target disposition in a matrix of moments structure using camera-space manipulation [18:8] pp. 809-818.

Gosselin, Clément M. Static balancing of spherical 3-DoF parallel mechanisms and manipulators [18:8] pp. 819-829.

Goswami, Ambarish. Postural stability of biped robots and the foot-rotation indicator (FRI) point [18:6] pp. 523-533.

Goswami, Ambarish, and Peshkin, Michael. Mechanically implementable accommodation matrices for passive force control [18:8] pp. 830-844.

Hirzinger, Gerd, Fischer, Max, Brunner, Bernhard, Koeppe, Ralf, Otter, Martin, Grebenstein, Markus, and Shäfer, Ingo. Advances in robotics: the DLR experience [18:11] pp. 1064-1087.

Hollerbach, John M., Thompson, William B., and Shirley, Peter. The convergence of robotics, vision, and computer graphics for user information [18:11] pp. 1088-1100.

Hovland, G.E., and McCarragher, B.J. Control of sensory perception in a mobile navigation problem [18:2] pp. 201-212.

Jia, Yan-Bin, and Erdmann, Michael. Pose and motion from contact [18:5] pp. 466-490.

Kao, I., and Ngo, C. Properties of grasp stiffness matrix and conservative control strategies [18:2] pp. 159-167.

Kárason, S.P., Srinivasan, M.A., and Annaswamy, A.M. Encoding and decoding of static information in tactile sensing systems [18:2] pp. 131-151.

Khatib, O., Yokoi, K., Brock, O., Chang, K., and Casal, A. Robots in human environments: basic autonomous capabilities [18:7] pp. 684-696.

Krotkov, Eric, and Blitch, John. The Defense Advanced Research Projects Agency (DARPA) Tactical Mobile Robotics Program [18:7] pp. 769-776.

Kuo, Arthur D. Stabilization of lateral motion in passive dynamic walking [18:9] pp. 917-930.

Kyatkin, Alexander B., and Chirikjian, Gregory S. Computation of robot configuration and workspaces via the fourier transform on the discrete-motion group [18:6] pp. 601-615.

Large, Edward W., Christensen, Henrik I., and Bajcsy, Ruzena. Scaling the dynamic approach to path planning and control: competition among behavioral constraints [18:1] pp. 37-58.

Latombe, Jean-Claude. Motion planning: a journey of robots, molecules, digital actors, and other artifacts [18:11] pp. 1119-1128.

Li, P., and Wen, Y. An arbitrarily distributed tactile-sensor array based on piezoelectric resonator [18:2] pp. 152-158.

Lynch, Kevin M., and Mason, Matthew T. Dynamic nonprehensile manipulation: controllability, planning and experiments [18:1] pp. 64-92.

Mantriota, Giacomo. Communication on optimal grip points for contact stability [18:5] pp. 502-513.

Martin, B.J., and Bobrow, J.E. Minimum-effort motions for open-chain manipulators with task-dependent end-effector constraints [18:2] pp. 213-224.

Mason, Matthew T. Progress in nonprehensile manipulation [18:11] pp. 1129-1141.

Matsuno, Fumitoshi, and Hatayama, Michinori. Robust cooperative control of two two-link flexible manipulators on the basis of quasi-static equations [18:4] pp. 414-428.

McAree, P.R. Book review [18:4] pp. 429-430.

McAree, P.R., and Daniel, R.W. An explanation of never-special assembly changing motions for 3–3 parallel manipulators [18:6] pp. 556-574.

Merlet, J.-P. Determination of 6D-workspaces of gough-type parallel manipulator and comparison between different geometries [18:9] pp. 902-916.

Mochiyama, Hiromi, Shimemura, Etsujiro, and Kobayashi, Hisato. Shape control of manipulators with hyper degrees of freedom [18:6] pp. 584-600.

Murphy, Robin R., and Hershberger, Dave. Handling sensing failures in autonomous mobile robots [18:4] pp. 382-400.

Nielsen, James, and Roth, Bernard. On the kinematic analysis of robotic mechanisms [18:12] pp. 1147-1160.

Perng, Ming-Hwei, and Hsiao, Lin. Inverse kinematic solutions for a fully parallel robot with singularity robustness [18:6] pp. 575-583.

Pook, Polly K., and DeBolt, Christopher K. Test bed robot development for cooperative submunitions clearance [18:7] pp. 753-759.

Prassler, E., Scholz, J., and Fiorini, P. Navigating a robotic wheelchair in a railway station during rush hour [18:7] pp. 711-727.

Ravishankar, A.S., and Ghosal, Ashitava. Nonlinear dynamics and chaotic motions in feedback controlled two- and three-degree-of-freedom robots [18:1] pp. 93-108.

Reisinger, Kim D., and Moskowitz, Gordon D. Bipedal locomotion: stopping and the standing/balance gait [18:3] pp. 333-343.

Requicha, Aristides A.G. Massively parallel nanorobotics for lithography and data storage [18:3] pp. 344-350.

Rimon, Elon, and Blake, Andrew. Caging planar bodies by one-parameter two-fingered gripping systems [18:3] pp. 299-318.

Roberts, Jonathan M., Corke, Peter I., and Winstanley, Graeme J. Development of a 3500-tonne field robot [18:7] pp. 739-752.

Roberts, Rodney G., and Repperger, Daniel W. On closed form expressions for the singular-value decomposition of an orientational Jacobian and its application to a motion simulator [18:1] pp. 109-115.

Ruf, Andreas, and Horaud, Radu. Visual servoing of robot manipulators—part I. projective kinematics [18:11] pp. 1101-1118.

Rus, Daniela. In-hand dexterous manipulation of piecewise-smooth 3-D objects [18:4] pp. 355-381.

Sacks, Elisha. Practical sliced configuration spaces for curved planar pairs [18:1] pp. 59-63.

Saha, Subir Kumar. Analytical expression for the inverted inertia matrix of serial robots [18:1] pp. 116-124.

Schmiedeler, J.P., and Waldron, K.J. The mechanics of quadrupedal galloping and the future of legged vehicles [18:12] pp. 1224-1234.

Shastri, S. Venkat. Editorial: special issue on field and service robotics [18:7] pp. 619-620.

Shirai, Yoshiaki. Robot visor research—role in the past and the future [18:12] pp. 1185-1200.

Smith, Robert, Frost, Andy, and Probert, Penny. A sensor system for the navigation of an underwater vehicle [18:7] pp. 697-710.

Sun, Dong, Mills, James K., and Liu, Yunhui. Position control of robot manipulators manipulating a flexible payload [18:3] pp. 319-332.

Taylor, Camillo J., Košecká, Jana, Blasi, Robert, and Malik, Jitendra. A comparative study of vision-based lateral control strategies for autonomous highway driving [18:5] pp. 442-453.

Taylor, Russell, Jensen, Pat, Whitcomb, Louis, Barnes, Aaron, Kumar, Rajesh, Stoianovici, Dan, Gupta, Puneet, Wang, ZhengXian, deJuan, Eugene, and Kavoussi, Louis. A steady-hand robotic system for microsurgical augmentation [18:12] pp. 1201-1210.

Tischler, Craig R., and Samuel, Andrew E. Prediction of the slop in general spatial linkages [18:8] pp. 845-858.

Tondu, Bertrand, and Bazaz, Shafaat Ahmed. The three-cubic method: an optimal online robot joint trajectory generator under velocity, acceleration, and wandering constraints [18:9] pp. 893-901.

Trevelyan, James. Redefining robotics for the new millennium [18:12] pp. 1211-1223.

Tsoularis, A., and Kambhampati, C. Avoiding moving obstacles by deviation from a mobile robot's nominal path [18:5] pp. 454-465.

Tzvetkova, G.V., and Resconi, G. Solution of the robot forward dynamics problem by using a recursive procedure based on the general system logical theory [18:10] pp. 1030-1043.

Utete, Simukai W., Barshan, Billur, and Ayrulu, Birsel. Voting as validation in robot programming [18:4] pp. 401-413.

Volpe, Richard. Navigation results from desert field tests of the Rocky 7 Mars Rover prototype [18:7] pp. 669-683.

Whitney, D.E., Mantripragada, R., Adams, J.D., and Rhee, S.J. Toward a theory for design of kinematically constrained mechanical assemblies [18:12] pp. 1235-1248.

Xiong, Cai-Hun, Li, You-Fu, Ding, Han, and Xiong, You-Lun. On the dynamic stability of grasping [18:9] pp. 951-958.

Xu, Yangsheng, Brown, H. Ben, Jr., and Au, Kwok Wai. Dynamic mobility with single-wheel configuration [18:7] pp. 728-738.

Xydas, Nicholas, and Kao, Imin. Modeling of contact mechanics and friction limit surface for soft fingers in robotics with experimental results [18:9] pp. 941-950.

Yamaguchi, Hiroaki. A cooperative hunting behavior by mobile robot troops [18:9] pp. 931-940.

Žefran, M., Kumar, V., and Croke, C. Metrics and connections for rigid-body kinematics [18:2] pp. 243-258.